

EC Declaration of Conformity

Manufacturer's name and address:	Möhlenhoff Gmbl
Manufacturer 3 harrie and address.	MONICHION

Museumstr. 54a 38229 Salzgitter

Product: Actuator A5

Type designation: see appendix

The designated product is in conformity with the European Directive:

2014/30/EU including amendments

"Directive of the European Parliament and of the Council on the harmonisation of the laws of the Member States relating to Electro-magnetic compatibility"

2014/35/EU including amendments

"Directive of the European Parliament and of the Council on the harmonisation of the laws of the Member States relating to electrical equipment designed for use within certain voltage limits"

(Only for Actuators with a nominal voltage over 50V AC or 75V DC)

2011/65/EU including amendments

"Directive of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment"

Full compliance with the standards listed below proves the conformity of the designated product with the provisions of the above mentioned EC Directive:

harmonized:

EN 60730-1:2011

EN 60730-2-14:1997+A1:2001+A11:2005+A2:2008

not harmonized: EN 50419:2006

Salzgitter, 23/02/2018 (Place, date)

(Legally binding signature of the issuer)



Appendix:

		1	2	3	4	5	6	7	8	9	10	11	12	13
Device	OEM Actuator	Α												
	Projekt Actuator	T	Α											
Group														
	Fixed Cabel			_										
	Connector			S	Т									
	Endswitch			Ε	S									
	Endswitch (LTG: yellow/red)			E	F									
	Endswitch change			Е	G									
	Prop & Buchse			Р	R									
	Prop & Buchse mit 0-10 V with VWE			Р	0									
	Puls-Prop & Buchse			Р	Р									
	2-Point			2	Р									
	3-Point			3	Р									
	3-Punkt with 0-10 V			3	0									
	Prop & Buchse + VWE			Р	V									
				Е	С									
	ECONAME			E	W									
	ECO VWE			Р	W									
	Puls-Prop VWE													
Blank	110.4.00.000													
Version	free						0							
	120 V						1							
	230 V						2							
	12 V						3							
	24 V						4							
Control action		5.04												
	AC/NC							0						
	AC/NO DC/NC							2						
	DC/NO							3						
	AC/DC/NC							4						
	AC/DC/NO							5	J					
Feature	3,0 mm								2					
	3,5 mm								3					
	4,0 mm								4					
	5 mm								5 6					
	6,5 mm								6					
	100 N									0				
	90 N									1				
	125 N									2				
Generation		1 12 20									-			
	5te Generation					*	-1900				5	1		
-										- 10			l	
Execution	with First-Open												0	
	without First-Open												1	
	with First-Open & with Dismantling protection												2	
	without First-Open & without Dismantling protection												3	
	free					102							10-10	,
	Short Housing													